


Collection(s)	Component
Colour(s)	Cobalt, Concrete, Coral, Emerald, Flame, Fuchsia, Navy, Pebble, Surf, Wasabi
Product Type(s)	Drapery Upholstery (Heavy Commercial)
Attributes	Warwick Naturally
Styles	Plain, Texture, Contemporary, Urban, Industrial
Composition	80% Wool 18% Nylon 2% Acetate
Pattern Match	No
Pattern Repeat (cm)	Plain
Railroaded	Plain Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).
Continuous	No
Self-Weighted	No
Width (cm)	137
Roll Size (approx)	50m
Weight (gsm)	560
Origin	Non European
Stain Repellent	No
FIAA Care Label	FIAA Care Label 3 – Non Pile Fabrics
WCAA Care Label	WCAA Care Label 2
Usage	Upholstery Drapery Cushion Not suitable for roman blinds
Guarantee	3 Years in accordance with our product type and care instructions


Test Results

Martindale (ISO 12947, 12kPA)	151,000 Cycles
Seam Slippage (mm) (ISO 13936-2, Load 180)	Warp 3.9, Weft 3.6
Pilling Resistance (ISO 12945-2)	4
Colourfastness to Light Xenon arc (ISO 105-B02, blue std 6)	5/6
Colourfastness to Rubbing (ISO 105-X12)	Dry 4/5, Wet 4/5
Dimension Change - Laundering (%) (ISO 5077/ISO 6330. 7BA)	Warp -, Weft -
Dimension Change - Hanging (%) (AS2663.1.B)	Warp -, Weft -
Free and Hydrolysed Formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2 - 1993 Flammability Index (0-100) Spread Factor (0-40) Heat Factor (0 upward)	- Length -, Width - Length -, Width -
Flammability AS/NZS 1530.3 - 1999 Ignitability (0-20) Spread of Flame (0-10) Heat Involved (0-10) Smoke Developed (0-10)	9 0 0 4


Component




Cobalt



Concrete




Coral



Emerald



Flame



Fuchsia



Navy



Pebble



Surf



Wasabi